The Digihaler® Family of Inhalers: Designed to deliver both medicine and objective inhaler use data

The innovative Digihaler® technology includes built-in sensors that track how often an inhaler is used and measure inspiratory flow. Inhaler use is recorded as an event when the cap is opened or a patient inhales.

This data is sent directly to the Digihaler® app via Bluetooth® wireless technology, giving patients the ability to share their data with healthcare professionals, who can assess how often patients use their inhalers, as well as the inspiratory flow which

may help them assess if inhaler technique might need improvement.

(albuterol sulfate 117 mcg) **Inhalation Powder**

ProAir

digihaler*

irDuo' digihaler* (fluticasone propionate 113 mcg and salmeterol 14 mcg) Inhalation Powder

Every Digihaler® device has:

ArmonAir digihaler[®] (fluticasone propionate 113 mcg) Inhalation Powder







ProAir patients use their rescue digihaler" **ProAir Digihaler Events** inhalers* can help healthcare professionals assess if their You had 25 ProAir Digihaler events in events are increasing the past 7 days. ProAir Digihaler Event More than 12 Events Recorded **Good Inhalations** 5/10 The Digihaler® app notifies patients when they have more than 12 ProAir® Digihaler® events (when the cap is opened or a patient inhales) in one day You had 2 On the past 7 days. More than 12 ProAir Digihaler Events **Recorded Today** Your ProAir Digihaler report shows more than 12 events today. Serious and potentially fatal side effects can occur with too much use of this medication. Contact your healthcare provider if you are using more ProAir Digihaler than usual, as this may be a sign of worsening symptoms. ee ProAir Digihaler Event Detai **ProAir® Digihaler®** is the first and only digital rescue inhaler indicated in patients four years or older for the treatment or prevention of bronchospasm who have reversible obstructive airway disease, and for prevention of exercise-induced bronchospasm (EIB). Do not use ProAir® Digihaler® if you are allergic to albuterol sulfate, lactose, milk proteins, or any of the ingredients in ProAir® Digihaler®. Ask your healthcare provider if you have any questions or are not sure. Please see more safety information below. *Inhaler use is recorded as an event when the cap is opened or a patient inhales.

Week

NDC 59310-117-20 Rx Only

ArmonAir*

Jun 10 - 16

Seeing when and how often

Data on maintenance inhaler

use* may help healthcare digihaler ArmonAir Digihaler Events professionals assess if patients (fluticasone propionate 113mcg) Inhalation Powder are taking their medication as You had **9 ArmonAir Digihaler events** prescribed in the past 7 days.

ArmonAir Digihaler Event
No Event


ProAir Digihaler

As Needed

9 / 14

Twice Daily

ArmonAir Digihaler



proteins, or any of the ingredients in ProAir Digihaler. Ask your healthcare provider if you have any questions or are

 monoamine oxidase inhibitors o tricyclic antidepressants Do not increase your dose or take extra doses of ProAir Digihaler without first talking to your healthcare provider

While you are using ProAir Digihaler, do not use other inhaled rescue medicines and asthma medicines unless your

o worsening trouble breathing, coughing and wheezing (paradoxical bronchospasm). If this happens, stop using ProAir Digihaler and call your healthcare provider or get emergency help right away. This is more likely to happen

o allergic reactions. Call your healthcare provider right away if you have the following symptoms of an allergic

 headache dizziness sore throat o runny nose

• These are not all of the possible side effects of ProAir Digihaler. For more information, ask your healthcare provider or

• You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or

• ARMONAIR® DIGIHALER® (fluticasone propionate) inhalation powder is a prescription medicine for the long-term treatment of asthma in patients 12 years and older. AIRDUO DIGIHALER and ARMONAIR DIGIHALER are not used to relieve sudden breathing problems from asthma and won't replace a rescue inhaler.

in order for you to take your medicine.

IMPORTANT SAFETY INFORMATION

healthcare provider tells you to do so

body aches and pain

urinary tract infection

 upset stomach sinus headache

chest pain fast heart rate shakiness nervousness

ProAir Digihaler may cause serious side effects, including:

with your first use of a new asthma inhalation medicine

your heart feels like it is pounding or racing (palpitations)

Please read the full **<u>Prescribing Information</u>** for ProAir Digihaler.

 heart problems, including faster heart rate and higher blood pressure possible death in people with asthma who use too much ProAir Digihaler

• Do not use AIRDUO DIGIHALER or ARMONAIR DIGIHALER to treat sudden breathing problems from asthma. Always have a rescue inhaler with you to treat sudden symptoms. • Do not use AIRDUO DIGIHALER or ARMONAIR DIGIHALER if you have a severe allergy to milk proteins or if you are allergic to any of the ingredients in the product. Ask your healthcare provider if you are not sure.

• Do not use AIRDUO DIGIHALER or ARMONAIR DIGIHALER more often than prescribed.

Do not take AIRDUO DIGIHALER with other medicines that contain a LABA for any reason.

Tell your healthcare provider about all the medicines you take and about all of your health conditions.

Do not stop using ARMONAIR DIGIHALER, even if you are feeling better, unless your healthcare provider tells you to. If you miss a dose of ARMONAIR DIGIHALER, just skip that dose. Take your next dose at your usual time. Do not take 2

avoid exposure to chickenpox and measles, and, if exposed, tell your healthcare provider right away. Worsening

of existing tuberculosis, fungal, bacterial, viral, or parasitic infections, or herpes infection of the eye (ocular

Reduced adrenal function. This can happen when you stop taking an oral corticosteroid (such as prednisone) and start taking a medicine containing an ICS (such as AIRDUO DIGIHALER or ARMONAIR DIGIHALER).

• For AIRDUO DIGIHALER, there may be sudden breathing problems immediately after inhaling your medicine.

hospitalizations and death from asthma problems.

- During this transition period, when your body is under stress such as from fever, trauma (such as a car accident), infection, or surgery, adrenal insufficiency can get worse and may cause death. Symptoms of adrenal insufficiency include: feeling tired lack of energy
 - breathing problems AIRDUO DIGIHALER can also cause additional serious side effects, including: Effects on the heart increased blood pressure a fast or irregular heartbeat chest pain Effects on the nervous system
 - Eye problems including glaucoma and cataracts. You should have regular eye exams while using AIRDUO **DIGIHALER** or **ARMONAIR DIGIHALER**.
 - For AIRDUO DIGIHALER, changes may occur in laboratory blood values (sugar, potassium, certain types of • For ARMONAIR DIGIHALER increased wheezing (bronchospasm) may occur. Increased wheezing can happen
 - right away after using ARMONAIR DIGIHALER. If this occurs, stop using ARMONAIR DIGIHALER and call your healthcare provider. Always have a rescue inhaler with you to treat sudden wheezing.

swelling of your face, mouth, and tongue

- Common side effects of AIRDUO DIGIHALER and ARMONAIR DIGIHALER include:
 - thrush in your mouth or throat. Rinse your mouth with water without swallowing after use to help prevent this.
- headache cough Additionally, AIRDUO DIGIHALER has common side effects of:
- upper respiratory tract infection infection or inflammation of nose and throat (nasopharyngitis) • These are not all the possible side effects of AIRDUO DIGIHALER and ARMONAIR DIGIHALER. Call your healthcare

Before using ProAir Digihaler, tell your healthcare provider about all of your medical conditions, including if you: have heart problems have high blood pressure (hypertension) have convulsions (seizures) have thyroid problems have diabetes have low potassium levels in your blood o are pregnant or planning to become pregnant are breastfeeding or planning to breastfeed Tell your healthcare provider about all the medicines you take, especially: other inhaled medicines or asthma medicines beta blocker medicines diuretics digoxin Get medical help right away if ProAir Digihaler no longer helps your symptoms, your symptoms get worse or you need to use your inhaler more often

- reaction: itchy skin swelling beneath your skin or in your throat worsening trouble breathing changes in laboratory blood values (sugar, potassium) • The most common side effects of ProAir Digihaler include: back pain
- COMBINED APPROVED USES AND IMPORTANT SAFETY INFORMATION FOR AIRDUO® DIGIHALER® AND ARMONAIR® DIGIHALER® APPROVED USES

AIRDUO DIGIHALER and ARMONAIR DIGIHALER each contain a built-in electronic module that records and stores information about inhaler events. AIRDUO DIGIHALER and ARMONAIR DIGIHALER may be used with, and transmit

information to, a mobile App. AIRDUO DIGIHALER and ARMONAIR DIGIHALER do not need to be connected to the app

• AIRDUO DIGIHALER contains salmeterol. Long-acting beta, agonist (LABA) medicines such as salmeterol when used alone increase the risk of hospitalizations and death from asthma problems. AIRDUO DIGIHALER contains an inhaled corticosteroid (ICS) and a LABA. When an ICS and a LABA are used together, there is not a significant increased risk in

• AIRDUO® DIGIHALER® (fluticasone propionate and salmeterol) inhalation powder is a prescription medicine used to control symptoms of asthma and to prevent symptoms such as wheezing in people 12 years of age and older.

• AIRDUO DIGIHALER and ARMONAIR DIGIHALER can cause serious side effects, including: • Fungal infection in your mouth or throat (thrush). Rinse your mouth with water without swallowing after using AIRDUO DIGIHALER or ARMONAIR DIGIHALER to help reduce your chance of getting thrush. • Weakened immune system and increased chance of getting infections (immunosuppression). You should

herpes simplex) may occur.

weakness

hives

 nausea and vomiting low blood pressure

doses at 1 time.

- If you have sudden breathing problems immediately after inhaling your medicine, stop using AirDuo Digihaler and call your healthcare provider right away. • Serious allergic reactions. Stop using AIRDUO DIGIHALER or ARMONAIR DIGIHALER and call your healthcare provider or get emergency medical care if you get any of the following symptoms of a serious allergic reaction:
 - AIRDUO DIGIHALER and ARMONAIR DIGIHALER can cause: Bone thinning or weakness (osteoporosis) • Slowed growth in children. A child's growth should be checked often.

tremor

nervousness

- white blood cells)
- back pain infection of nose and throat (nasopharyngitis) ARMONAIR DIGIHALER has common side effects of:

©2020 Teva Respiratory, LLC ADH-40115 September 2020

- You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or