


# Cactus Project MRE by Classification *September 16, 2025*


**Mineral Resource Classification**

- Measured
- Indicated
- Inferred




For applicable technical notes and cautionary statements refer to the Company's press release dated September 16, 2025, in which these slides are referenced and linked.

# Parks/Salyer Deposit Looking East, Separated by Material Type September 16, 2025



**Material**

- Leachable
- Primary





For applicable technical notes and cautionary statements refer to the Company's press release dated September 16, 2025, in which these slides are referenced and linked.

# Cactus Project Deposits – Plan View September 16, 2025



## Total Copper Grade (%)

0	■	0.04
0.04	■	0.10
0.10	■	0.30
0.30	■	0.50
0.50	■	0.75
0.75	■	1.00
1.00	■	1.50
1.50	■	100.0




For applicable technical notes and cautionary statements refer to the Company's press release dated September 16, 2025, in which these slides are referenced and linked.

# Cactus and the Casa Grande District Schematic Long Section September 16, 2025



Scale = 0.5 miles



For more information on the current MRE for the Cactus Project (including related technical notes), refer to the press release dated September 16, 2025, available under its issuer profile at [www.sedarplus.ca](http://www.sedarplus.ca) or on its website at [www.arizonasonoran.com](http://www.arizonasonoran.com).